



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

IV. *Extract of a Letter from F. J. H. Wollaston (dated Sydney College, Cambridge, February 24, 1784) to the Rev. Francis Wollaston, LL.B. F. R. S.*

Read December 14, 1786.

I SEND you an account of a remarkable stream of light which appeared last night, from about 9 h. 5' to 9 h. 25', extending entirely across the hemisphere from W. to E. It rose from the horizon, about 10° S. of W., near δ and γ Ceti; thence ascended in a straight line, inclining a little S. to δ and ϵ Tauri, where it made an angle with its former course, and proceeded nearly in a vertical circle over β Aurigæ, θ Ursæ majoris, by Cor Caroli to Arcturus, setting in the horizon about 20° N. of E. The light was steady, not undulating like Aurora; and as it converged towards the horizon at each end, had much the appearance which I conceive the tail of a comet must make whose nucleus is just in the horizon. That was particularly the case at the W. end, where it was brightest, growing gradually fainter towards the zenith; the E. part was nearly of the same brightness. The greatest breadth of the stream in the zenith was about equal to the distance between the Pointers in Ursa major. It disappeared gradually. When first I saw it, it did not incline so much

towards the S. at its W. end as afterwards; but rose directly up from δ Ceti to the zenith. I should like to know, whether this has been seen elsewhere, and in what direction. I remarked it, because I never saw a stream extend so steadily across the heavens. There was very little of Aurora in any other part of the sky; indeed what would not have been observed at all, had it not been for this stream.

